

QuMax Omni for Teltonika TRB500

INTEGRATED MULTI-BAND LTE & 5G OMNI ANTENNA + PLACE TO INSTALL TELTONIKA TRB500 (ALL-IN-ONE)

QuMax Omni is a 5G omnidirectional MIMO 4x4 antenna for the Teltonika TRB500 gateway. The antenna covers a wide frequency range from 617MHz (Band71) to 3.8GHz. Additional router compartment inside the housing creates a variety of new outdoor (IP67) scenarios. It is recommended for moving applications, like trains, buses, yachts or campers, but also to improve signal quality in rural areas.

The set contains a PoE splitter, allowing you to split data and power from a single Ethernet cable and maintain gigabit transfer speeds while protecting the LAN port from damage caused by overvoltage, short circuit or improper connection.

NOTE! The antenna doesn't support B32 band and n77 (above 3800MHz) band!

















5G / LTE ANTENNA SPECIFICATION

FR	$rac{1}{2}$	377	$\neg v$
FR	FU	101	

0.617 - 0.96 GHz

1.7 - 2.2 GHz

2.2 - 2.7 GHz

3.3 - 3.8 GHz

GAIN

0.617 - 0.96 GHz: 3 dBi

1.7 - 2.2 GHz: 3.5 dBi

2.3 - 2.7 GHz: 3,5 dBi

3.3 - 3.8 GHz: 4 dBi

SUPPORTED LTE BANDS

1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 22, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 48, 49, 52, 53, 65, 66, 67,

68, 69, 71, 85, 103, 106

SUPPORTED 5G BANDS

n1, n2, n3, n5, n7, n8, n12, n13, n14, n18, n20, n25, n26, n28, n29, n30, n34, n38, n39, n40, n41, n48, n53, n65, n66, n67, n71, n77, n78, n80, n81, n82, n83, n84, n85, n86, n89, n90, n95, n97, n98, n100, n101,

n256

VSWR

<1.80, max <2.00

BEAMWIDTH

360°/35° ±5°

POLARIZATION

Vertical

IMPEDANCE

50 Ω




(* MECHANICAL SPECIFICATION

MATERIALS	ABS, aluminum, PTFE, Fiberglass
CONNECTOR TYPE	RJ45
INGRESS PROTECTION	IP67
DIMENSIONS	486.0 x 292.2 x 105.6 mm 19.13 x 11.50 x 4.16 inch
WEIGHT	2.5 kg 5.51 lbs
OPERATING TEMPERATURE	From -40°C to 70°C From -40°F to 167°F


(* PLOTS

VSWR for LTE antenna






Gain for LTE antenna




5G/LTE from 650MHz to 950MHz






5G/LTE from 1.71GHz to 2.5GHz




5G/LTE from 3.3GHz to 4.0GHz







5G/LTE from 4.5GHz to 5.5GHz



(* DIMENSIONS









WWW.QUWIRELESS.COM

Sales email: sales@quwireless.com

Support email: support@quwireless.com

Tel: +48 513 900 416

Website: www.quwireless.com

Address: Wireless Instruments Sp. z o.o., ul. Kościuszki 27, 52-116 Iwiny, Poland



