

QuPanel LTE HP SISO

P/N: APLS1-H

Directional High Power multiband LTE SISO antenna

QuPanel LTE HP directional high gain antenna is predicted for 4G LTE mainly, but is compatible with 3G and 2G as well. The antenna improves the signal in rural/suburban and locations where the mobile signal is weak. That antenna is predicted to be installed on the buildings (on the pole or on the wall). Due to very wide working frequency range, the antenna is universal client for LTE bands like LTE700/800/1800/1900/2100/2300/2600. It's compatible with Teltonika: RUT230, TRB140, TRB141, TRB142, TRB145, TRM240, TRM250 and other SISO LTE/3G/2G modems and routers.



VERSION 1.01

OUTDOOR

ANTENNA

SOLUTION

Use LTE router wherever you want

Maximize your signal with QuWireless antennas

Plug LTE router and you are good to go




LTE SPECIFICATION

FREQUENCY	0.694-0.96 GHz
	1.7 - 2.2 GHz
	2.2 - 2.7 GHz
Supported LTE bands	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 23,
	25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41,
	44, 53, 59, 62, 65, 66, 67, 68, 69, 85, n80, n81, n82, n83,
	n84, n86, n89, n90, n95
GAIN	0.694 - 0.96 GHz : 7 dBi
	1.7 - 2.2 GHz : 7 dBi
	2.2 - 2.7 GHz : 7 dBi
VSWR	<1.70, max <2.00
BEAMWIDTH	70°/70° ±15°
POLARIZATION	±45°
IMPEDANCE	50 Ω

MECHANICAL SPECIFICATION


MATERIALS	ABS, aluminum, Fiberglass, galvanized steel
CABLE TYPE	LMR195, white
CABLE LENGTH	5m
CONNECTOR TYPE	1x SMA plug
INGRESS PROTECTION	IP67
DIMENSIONS	272 x 276 x 96 mm
	10.71 x 10.87 x 3.78 inch
WEIGHT	1.8 kg
	3.97 lbs
OPERATING TEMPERATURE	From -40°C to 75°C
	From -40°F to 167°F


VSWR



700-900 MHz Azimuth


700-900 MHz Elevation






1710-2170 MHz Azimuth


1710-2170 MHz Elevation






2300-2700 MHz Azimuth


2300-2700 MHz Elevation





PHOTOS DIMENSIONS





HEADQUARTER:

Wireless Instruments sp. z o.o. ul. Kościuszki 27 52-116 Iwiny POLAND sales@quwireless.com tel 1. +48 601 366 369 tel 2. +48 577 667 761 www.quwireless.com